Max Paradox

PROBLEM? RELAX. YOU'VE GOT THIS!

A tongue-in-cheek guide series ;)

My Results Are in Three Portals, and Five Different People Are Treating Me

How to Organize Medical Records, Medication Lists, and Recommendations from Different Specialists and Share Important Information Without Becoming the Courier of Your Own Medical History



We've got a problem. But relax.
It can be solved—and we'll even have something to laugh about.

My Results Are in Three Portals, and Five Different People Are Treating Me


How to Organize Medical Records, Medication Lists, and Recommendations from Different Specialists and Share Important Information Without Becoming the Courier of Your Own Medical History

Max Paradox

PROBLEM? RELAX. YOU'VE GOT THIS!

ISBN: 978-83-8483-830-3

ALL-IN Rafał Płonkowski



CONTENTS

INTRO 5

Chapter 1 - Five Specialists, One Patient, and Five Versions of the Truth 11

Chapter 2 - Where Are My Medical Records? Mapping the Places They Hide 20

Chapter 3 - The Medication List That Tells the Truth 30

Chapter 4 - "Continue Your Treatment" - But Which Treatment? 39

Chapter 5 - The Perfect Filing System Nobody Can Be Bothered to Use 49

Chapter 6 - Your Results Are Ready. Has Anyone Actually Reviewed Them? 58

Chapter 7 - "The Doctor Said Something About..." - How to Remember What Actually Matters 68

Chapter 8 - The Family Medical Headquarters Nobody Agreed to Create 78

Chapter 9 - The Medical Timeline: Putting Events in Order Without Writing a Detective Novel 90

Chapter 10 - The Appointment Packet: Bring the Right Information, Not the Entire Archive 99

Chapter 11 - Please Pass This On: How Not to Become the Courier Between Medical Offices 109

Chapter 12 - Who Is Actually in Charge of My Care? 119

Chapter 13 - The Numbers Have Changed. Are You Even Comparing the Same Thing? 129

Chapter 14 - There's a Mistake in My Medical Record. Can My History Be Corrected? 138

Chapter 15 - The Portal Is Down, the Report Is Missing, and Your Appointment Starts in an Hour 149

Chapter 16 - I Don't Have the Energy for This: Medical Paperwork for People Who Also Have Lives 158

Chapter 17 - New Clinic, Old Medical History: How to Change Providers Without Starting From Zero 169

Chapter 18 - Keeping Things Organized Without Turning Your Life Into a Permanent Audit 179

Chapter 19 - The Silent Gaps: How to Notice When Important Information Has Gone Missing 190

Chapter 20 - Your Health, Your Information, but Not Your One-Person Hospital 200

INTRO

The medical history form has a box labeled "Current medications." It is approximately the size of a postage stamp. You stare at it, wondering whether the clinic expects a complete answer or has quietly introduced a competition in microscopic handwriting. Below that is another box: "Previous medical conditions and treatments." Apparently, the form was designed for someone whose entire medical history consists of a childhood ear infection and an unfortunate encounter with a bicycle. You, meanwhile, have consulted five different specialists, changed medications twice, undergone several investigations, and accumulated enough medical documents to qualify for your own filing department. The receptionist hands you a pen. Your appointment begins in twelve minutes.

You start writing. Halfway through the medication section, you remember a prescription that was changed recently. Or perhaps it was discontinued. You know the cardiologist discussed it, but the actual instructions came from another clinic. Your phone contains a photograph of the prescription, somewhere between a parking receipt and seventeen pictures of a remarkably uncooperative houseplant. Meanwhile, the form asks whether you have had any previous procedures. You have, but you cannot remember the exact date. At this point, the sensible response might be to request a second form, a larger pen, and temporary employment as the clinic's medical records administrator.

The ridiculous part is that you haven't lost your medical history. Most of it exists. Somewhere. Your laboratory results are stored in one system, consultation notes in

another, and hospital discharge documents in a third. A pharmacy might have information about prescriptions, but that does not necessarily reveal what you actually take. One specialist knows about a recent treatment change, while another has an older medication list. Everyone possesses pieces of the story. Unfortunately, the one person expected to assemble those pieces while sitting on an examination table is you.

This is the central problem of fragmented medical care. Different professionals may provide entirely appropriate treatment within their own areas of responsibility while lacking access to information held elsewhere. Records are created at different times, stored in different formats, and shared through systems that do not always communicate smoothly. Some documents describe what happened. Others describe what should happen next. A recommendation written six months ago may have been modified yesterday. Nothing about the appearance of an official document tells you whether its instructions are still current. And the fact that information exists electronically does not guarantee that the person who needs it has actually seen it.

It is tempting to blame yourself for the confusion. Perhaps you should have kept every letter, remembered every conversation, or created a beautifully organized database years ago. But medical administration is rarely anybody's favorite recreational activity. Most people encounter it while dealing with symptoms, uncertainty, work commitments, family responsibilities, or the sort of exhaustion that makes choosing something for dinner feel like a major strategic decision. Expecting perfect recordkeeping under those circumstances is unrealistic. A useful system must

accommodate ordinary human limitations rather than demand the memory of a chess champion and the dedication of a full-time archivist.

The medication question deserves particular attention because an inaccurate answer can have consequences beyond administrative inconvenience. A prescribed medication is not necessarily a medication you are currently taking. A filled prescription does not establish that treatment was started, and an old instruction may no longer apply. Over-the-counter products and supplements can matter too. When several professionals are involved, it becomes especially important to distinguish confirmed instructions from memories, assumptions, and changes that still need clarification. The goal is not to become your own pharmacist. It is to make reliable information available to qualified professionals and to ask for help whenever the actual treatment plan is uncertain.

Test results introduce another complication. A result may be marked "available" in an online account without having been discussed with the clinician responsible for assessing it. You might see an unusual number highlighted in red and feel compelled to spend the evening researching every possible explanation. Alternatively, you might see no warning symbols and assume that no further action is needed. Neither reaction reliably establishes the medical significance of the finding. Results must be interpreted in context, and an uploaded report is not the same thing as an agreed follow-up decision. Keeping the document is useful. Knowing how its assessment and any necessary follow-up will be handled is more useful still.

There is also a boundary worth establishing early. You can help information travel between professionals, but you

should not be required to reconcile conflicting clinical instructions yourself. If two specialists appear to recommend different approaches, your job is not to decide whose specialty sounds more impressive. You can identify the discrepancy, present the relevant documents, and ask who should clarify the treatment plan. Decisions about diagnosis, medication changes, and clinical priorities belong to appropriately qualified professionals. Being an informed patient means participating actively in your care, not being promoted without training to Chief Medical Officer of Yourself.

Unfortunately, many attempts to get organized create entirely new problems. One approach is to keep absolutely everything in an enormous folder, producing an archive so complete that finding a particular result requires a search expedition. Another is to trust that every professional can see everything electronically. A third involves downloading several organizational apps, each promising to become the single home for your medical information. Before long, you have created a second collection of accounts and passwords to manage the first collection. The system that was supposed to reduce your workload now sends you reminders to update a spreadsheet about your reminders. Technology can be helpful, but sophistication is no substitute for clarity.

A more practical approach begins with modest questions. Where is a particular document? When was it created? Is the information still relevant to current care? What has been confirmed, and what remains uncertain? Who needs to receive it, and for what purpose? These questions do not require expensive software or an elaborate classification system. They require a dependable way to distinguish

source documents from personal notes, current information from historical records, and completed actions from matters still awaiting a response. The organization should be simple enough to use after a tiring appointment, not merely impressive when demonstrated on a quiet Sunday afternoon.

This book will help you develop that approach through realistic situations rather than administrative fantasies. You will learn to handle records from different providers, make medication information easier to verify, prepare for appointments, and communicate relevant changes without repeatedly reconstructing your entire medical history. You will also see why an orderly file system cannot solve every problem. Providers may have different procedures, communication may be delayed, and sometimes the information you need simply isn't available. A useful method should help you recognize those limitations and choose a reasonable next action, rather than leave you feeling that you have personally failed to organize the healthcare system.

Privacy matters throughout. Medical records contain sensitive information, and convenience does not justify distributing entire histories indiscriminately. Family members or trusted helpers may be valuable partners, but access should reflect your wishes, applicable permissions, and genuine needs. Likewise, if symptoms require urgent medical attention, seeking that help takes priority over locating the perfect collection of documents. This is an organizational guide, not a replacement for medical assessment, professional advice, or emergency care.

Imagine arriving at an appointment and being able to answer a question without conducting a digital treasure hunt. You know where to locate relevant records, can

identify the latest confirmed instructions, and feel comfortable saying when something needs professional clarification. The appointment may still be complicated. Medicine often is. But the paperwork no longer has to become an additional mystery running alongside the original problem.

You deserve to spend more of your energy receiving appropriate care and less of it acting as a delivery service between offices that happen to be treating the same human being. Your medical history belongs to you, but that does not mean every administrative and clinical responsibility belongs to you as well. And when the next medical form gives you a tiny box for your entire history, you can smile, provide the relevant information, and remember that your health is considerably more important than your ability to fit it into four square inches.

Chapter 1 - Five Specialists, One Patient, and Five Versions of the Truth

The orthopedic specialist is looking at your shoulder. The neurologist is interested in the strange sensations in your arm. Your primary care physician wants to understand how everything fits together, while another specialist is reviewing a separate condition that may affect your treatment options. Everyone is professional, everyone asks sensible questions, and everyone writes something in your medical record. By the end of the month, you have four consultation summaries and a growing suspicion that the doctors have been treating four different people who happen to share your name. One document describes your symptoms as improving. Another mentions persistent discomfort. A third says the problem is under investigation. The fourth confidently announces that you have no new complaints. You read that last sentence while remembering the twenty minutes you spent complaining. Apparently, your medical history has acquired an independent editorial department.

The first thing to understand is that a medical record is not a complete biography. It is a document created for a particular purpose, by someone working with particular information, at a particular moment. A neurologist may emphasize symptoms that an orthopedic specialist mentions only briefly. A primary care physician may summarize a complicated consultation in a few lines because the immediate task is arranging further care. These different descriptions are not necessarily contradictory. Sometimes they reflect genuinely different perspectives on the same situation. At other times, important information may be

missing, outdated, or recorded inaccurately. The difficulty for the patient is knowing which difference is harmless and which needs professional clarification.

Consider a fictional patient named Claire, who has been receiving treatment from several professionals over the course of a year. During an appointment in February, one clinician documents a treatment plan based on the information available at that time. In April, another clinician recommends an adjustment after reviewing additional findings. In June, Claire attends a follow-up appointment at a different clinic, where the earlier plan is still listed in her records. Every document may accurately describe what happened during its respective appointment. Yet if the June clinician relies on the February instructions without knowing about the April change, the overall picture may be incomplete. Claire should not attempt to decide independently which instructions are medically correct. She can, however, identify the difference, provide the relevant documents, and ask the appropriate clinician to confirm the current plan.

This reveals an important distinction between accurate records and accurate current information. A document may be historically correct while no longer describing what you should be doing today. A prescription issued last year may have been replaced. A recommendation to arrange further testing may have been fulfilled months ago. A medical problem described as unresolved in an earlier note may have been reassessed during a later consultation. The older record should not necessarily disappear, because it helps explain the course of care. But presenting it without its date or subsequent developments can create confusion. Medical records need context, much as instructions for assembling

furniture need to specify which piece of furniture they concern. Otherwise, somebody eventually attaches a wardrobe door to a dining table and insists that the diagram was perfectly clear.

Why everyone knows something, but nobody knows everything

Fragmentation occurs for reasons that extend beyond technology. Different professionals have different responsibilities, appointment lengths, clinical priorities, and access to information. A specialist treating one condition may need to know about another condition without being responsible for managing it. A hospital team may document decisions made during an admission, while follow-up care takes place elsewhere. Electronic records can improve access, but separate systems, permissions, procedures, and organizational boundaries may limit what any individual clinician can see. Even when information is technically available, that does not establish that it has been reviewed for a particular decision.

There is also the uncomfortable matter of time. During a consultation, clinicians must gather information, examine the patient where appropriate, explain findings, and make decisions. They cannot necessarily read every historical document from beginning to end. Imagine handing someone a thousand-page novel and asking for an informed discussion of its most important developments before lunch, while also insisting that the person has never read the opening chapters. A well-organized account of relevant events can help, but the patient should not be expected to determine every medically significant detail alone. The purpose of preparation is to make reliable information

accessible, allowing the clinician to ask further questions and decide what else matters.

The most misleading assumption is that because two specialists work within the same broader healthcare system, they automatically possess the same information. A patient may reasonably believe that a recently completed consultation will be visible everywhere it is needed. In practice, information-sharing arrangements vary. Some systems allow access to certain records, others require separate requests, and documents may not be available in the expected form. The safest approach is not to assume total isolation or perfect integration. During an appointment, you can ask whether the clinician has access to a particular report and offer to provide it through an approved channel if necessary. This simple question is much more useful than announcing, "It should all be on the computer," while everyone politely studies a screen containing absolutely none of it.

Another assumption deserves equally careful examination: that each specialist is responsible for reconciling every decision made by every other professional. Coordination is important, particularly when different treatments may affect one another. But responsibility for a particular clinical decision depends on the circumstances and the professionals involved. It is not something a patient can establish by drawing arrows between doctors' names on a homemade organizational chart. If recommendations appear inconsistent, the practical question is who should assess that inconsistency and how the relevant information can reach them. Patients can facilitate communication without becoming the clinical authority responsible for resolving it.

The challenge becomes especially visible with medication information. One clinician may have an accurate list of previously prescribed treatments, while another knows about a recent change. A pharmacy record may show that a prescription was filled, but filling a prescription does not prove the medication was taken. Meanwhile, the patient may be using an over-the-counter product that has never appeared in any consultation note. These differences can matter for safety. It is therefore useful to tell clinicians what is actually being taken, what has changed, and which details remain uncertain. Questions about dosing, combinations, or conflicting instructions should be clarified with appropriately qualified healthcare professionals, not settled through guesswork.

The difference between a document and a decision

An effective way to understand your medical history is to recognize three layers of information. The first is what happened: appointments, investigations, hospital visits, and other events that can be documented. The second is what clinicians concluded or recommended at particular times. The third is what remains current, unresolved, or awaiting professional review. These layers overlap, but they answer different questions. A laboratory report establishes that a result was produced. A consultation note may establish that someone reviewed it and recommended further action. A later record may confirm that the action was completed or modified. Possessing the laboratory report alone cannot establish the entire sequence.

For example, imagine Daniel has a scan in March and receives the report through an online account. In May, a specialist reviews the findings and discusses a follow-up plan. Daniel remembers the conversation but cannot locate

the written instructions. At a later appointment, another clinician asks what was decided. Daniel could show the scan report, but it would not answer the question about the May decision. He could describe what he remembers, making clear that the account is from memory, and ask how to obtain the relevant consultation record. He should not present his recollection as an exact clinical instruction if he is unsure of its wording. The difference between "the report says" and "I remember the doctor saying" is worth preserving.

Uncertainty deserves its own place in this process. People often feel uncomfortable admitting that they cannot remember a date, medication change, or explanation. They offer their best guess because an approximate answer sounds more cooperative than saying they do not know. Yet an unmarked guess can be mistaken for a confirmed fact and repeated in later records. If you remember that something happened around early summer but cannot establish when, say so. If you know that a clinician changed an instruction but no longer remember the details, explain that the current instructions require verification. A clearly identified gap is more useful than a confident invention.

Your own observations matter as well. You are the person who experiences symptoms, notices changes, and knows how treatment fits into daily life. A medical note may describe a symptom using clinical terminology, while you remember how it affected your work, sleep, or ability to perform particular activities. Both perspectives may be relevant. The important distinction is between describing your experience and drawing a medical conclusion from it. Saying that discomfort became more noticeable after a particular event provides information about timing. Claiming

that the event definitely caused the discomfort goes further and may require professional assessment. Good communication makes room for the patient's experience without turning personal observations into unsupported diagnoses.

This is particularly important when two records appear to tell different stories. Before deciding that one clinician made an error, examine the dates and purposes of the documents. Were the observations made several months apart? Did the patient's condition change? Were the professionals discussing different aspects of the problem? Does one report describe a possibility while another records a confirmed assessment? Sometimes those questions explain the difference. When they do not, the discrepancy should be raised with the appropriate professional. You do not need to referee an argument between documents by declaring the newest one the winner. Medical reasoning is not a talent competition judged by publication date.

Becoming a better witness to your own care

There is a practical exercise hidden inside this understanding, although it does not require a complicated worksheet. Choose one issue for which several clinicians have provided care. Identify a few meaningful events and locate the records that support them. Then consider whether you can distinguish the latest confirmed instructions from earlier recommendations, and whether anything important remains unclear. Do not attempt to reconstruct your entire medical life. The aim is to discover whether you can explain the relevant course of events without accidentally presenting an assumption as fact. If you encounter uncertainty about current treatment, seek appropriate

professional clarification rather than making changes yourself.

During consultations, a concise explanation often helps more than a long account beginning with an unrelated appointment from years ago. You might say, "This was the previous plan, this document records the subsequent consultation, and I need to confirm how the two recommendations fit together." That statement gives the clinician a starting point and identifies the unresolved question. You can then provide additional history when asked. The approach is particularly useful when appointments are short, although no summary can replace a clinician's responsibility to obtain the information necessary for safe assessment.

It also helps to recognize when the problem belongs to the healthcare system rather than your personal filing habits. If a clinician needs information from another provider, the professionals or organizations involved may need to communicate directly, using appropriate procedures. Patients can ask whether such communication is possible and who is responsible for the next step. They should not be required to interpret complicated medical recommendations and deliver a homemade compromise. Where uncertainty could affect medication safety or other important treatment decisions, it needs timely professional attention. If serious or rapidly worsening symptoms require urgent care, that takes priority over completing the paperwork.

The goal is not to make every clinician know everything about you. That would be impossible and, in many situations, unnecessary. The goal is to help the right people access the right information when their decisions depend on it. Sometimes that means showing an earlier report. Sometimes

it means identifying a change in medication or asking whether a consultation recommendation has been reviewed. Sometimes the most valuable contribution is simply saying, "I don't know whether these instructions are still current." There is no shame in that sentence. It is considerably safer than inventing certainty for the convenience of everyone in the room.

Five specialists may each hold a legitimate part of your medical story. You cannot force their systems to merge, their schedules to align, or their responsibilities to become perfectly coordinated. You can learn to distinguish the different versions of the story, preserve their context, and recognize where professional clarification is needed. That is a substantial contribution without requiring you to become the unofficial sixth specialist. You have enough to do as the one person whose actual body is involved in every chapter of this particular medical drama.

Chapter 2 - Where Are My Medical Records? Mapping the Places They Hide

Somewhere in your home is a medical document that you have been keeping in a very safe place. You remember choosing that place specifically because the document was important. Unfortunately, you can no longer remember where it is. You search the drawer containing official paperwork and find an expired passport, two instruction manuals for appliances you no longer own, and a receipt for something purchased during a holiday you barely remember. The medical document is absent. You try the bookshelf, then the desk, then the suspiciously overstuffed envelope labeled "IMPORTANT." Inside are several old appointment letters and a warranty for a vacuum cleaner. The missing report has apparently joined a witness protection program.

This familiar situation reveals why organizing medical records must begin with locating them rather than arranging them. Before you can decide where information should live, you need to know where it currently exists. Records may be scattered across hospital systems, laboratory websites, specialist clinics, email attachments, patient portals, paper files, and devices that have been replaced several times. Some documents are accessible immediately, others require a request, and a few may no longer be available through the route you originally used. The first useful achievement is not a perfectly organized archive. It is an honest picture of the places where information might be found.

Think of the process as conducting a survey of a building before planning renovations. You would not sensibly begin installing new storage cabinets without knowing what the

rooms contained. Yet people regularly approach medical paperwork by creating elaborate folder structures before checking how many sources they actually use. They spend an enjoyable afternoon choosing categories, only to discover later that an entire collection of hospital reports sits in a separate account. Their beautiful new archive is accurate, tidy, and missing half the house. A simple inventory prevents that mistake by separating the question of location from the later question of organization.

Finding the sources before collecting the contents

Start by identifying the organizations that have provided your care. These may include your primary care practice, specialist offices, hospitals, diagnostic imaging providers, laboratories, pharmacies, and other relevant services. Depending on where you live and receive care, some records may be accessible through a broader patient information system, while others remain in separate provider portals. Do not assume that a single account contains every document produced by every organization. The extent of record sharing varies, and even systems that exchange some information may not exchange every type of report. At this stage, identifying a source matters more than downloading everything it contains.

A useful source inventory should tell you what the source is, what kind of information it might hold, and whether you can currently access it. You could note that a particular hospital portal contains discharge summaries, that an imaging provider stores examination reports, or that a clinic supplied paper consultation letters. If access is uncertain, mark it as uncertain. If an account needs recovering, record that fact without allowing the entire exercise to become an emergency password-reconstruction project. The purpose is